

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10/613898"	US-PGPUB; USPAT	OR	<del>ON</del> OFF	2005/11/29 16:50
S2	7	((("4796203") or ("5963192") or ("6014120") or ("6078316") or ("6204864") or ("6215465") or ("6362834"))).PN.	USPAT; <del>USOCR</del>	OR	OFF	2005/11/29 09:45
S3	1214	345/98.ccls.	US-PGPUB; USPAT	OR	OFF	2005/11/29 11:16
S5	50	710/57.ccls. and underflow	US-PGPUB; USPAT	OR	OFF	2005/11/29 11:07
S6	1	345/98.ccls. and underflow	US-PGPUB; USPAT	OR	OFF	2005/11/29 11:05
S7	10	710/57.ccls. and underflow and display	US-PGPUB; USPAT	OR	OFF	2005/11/29 11:07
S8	1	(LCD "liquid crystal display") and data same (create generate) same temporary and underflow	US-PGPUB; USPAT	OR	OFF	2005/11/29 11:18
S9	65	(LCD "liquid crystal display") and data same temporary and underflow	US-PGPUB; USPAT	OR	OFF	2005/11/29 11:18
S10	430	710/57.ccls.	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:07
S11	58	710/57.ccls. and register same (hold delay)	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:07
S12	58	710/57.ccls. and register same (hold delay)	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:14
S13	285	710/57.ccls. and (underflow empty)	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:14
S14	72	710/57.ccls. and (underflow empty) and multiplexer	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:24
S15	21	710/57.ccls. and (underflow empty) and multiplexer and (correct fix)	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:46
S16	183	(LCD "liquid crystal display") and driver and underflow	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:48
S17	31	(LCD "liquid crystal display") same driver and underflow	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:58
S18	2	display adj driver same underflow	US-PGPUB; USPAT	OR	OFF	2005/11/29 13:58

S19	19	("4961071"   "5257103"   "5657478"   "5734435"   "5767987"   "5784115"   "5818967"   "5898420"   "5977836"   "5977989"   "6028586"   "6064393").PN. OR ("6304297").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:07
S20	58	display and driver and buffer adj underflow	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:07
S21	27	display and driver and buffer adj underflow and (multiplexer mux)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:12
S22	1528	(memory and register and multiplexer and (bus adj overload underflow))".clm"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:13
S23	21	(memory and register and multiplexer and (bus adj overload underflow) and data adj converter)".clm"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:13
S24	1	(memory and register and multiplexer and (bus adj overload underflow) and data adj converter).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:13
S25	10	(memory and register and multiplexer and (bus adj overload underflow)).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:17
S26	39	LCD adj controller and underflow	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:24
S27	20	underflow same insert near5 data	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:30
S28	0	underflow and insert near5 dat	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:30
S29	355	underflow and insert near5 data	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:30
S30	25	underflow and insert near5 data same (calculate algorithm determine)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:30
S31	0	display near2 driver and underflow	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 16:50
S32	6	driver and underflow	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 16:51

S33	2	bus adj overflow	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 16:51
-----	---	------------------	----------------------------------	----	-----	------------------